



# Montgomery County ARES/RACES MESH PROJECT

A UNIQUE OPPORTUNITY TO COMBINE RADIO AND COMPUTER SKILLS  
FOR EMERGENCY COMMUNICATIONS

Pottstown Area Amateur Radio Club  
January 4, 2019  
Tom Nolan W3EX & Jim Fisher AJ3DI

# What is a MESH Network

- A wireless invisible highway over which data travels.
- NODEs are routers along the highway that route traffic throughout the mesh.
- Per FCC part 97 regs, NODEs are repeaters

# NODE Characteristics

- They are standard network devices that have been re-programmed to operate on amateur frequencies, 2.397 ghz in our case.
- They are **self discovering, self configuring, self advertising and fault tolerant**.
- They are a data network without the wires.
- Most tasks that you can do over a wired or wireless network at your home or office will work on a mesh node.
- They are small, portable, low-power and inexpensive.
- They are easily battery powered.
- If one endpoint cannot see its desired destination, but CAN see nodes in between, the data will hop from one to the next until the final connection is made.... Completely automatically.

# NODE Characteristics

- All nodes are remotely managed, you do not need physical access once a node is installed.
- Mesh nodes can easily have a range of **10 miles or more using stock power** and gain antennas if you have true line of sight.
- Mesh nodes communicate with other nodes over Wi-Fi frequencies and **only talk to other mesh nodes on the wireless port** .
- It is possible to extend a mesh network with a properly restricted access point (AP) where only hams are given access
- If any node is connected to resources (internet, video camera, file server, mail server, VOIP server, etc.) it can provide access to the entire network
- Computers connect to mesh nodes with an Ethernet cable or WiFi APs and control them using a web browser

# Why MESH for EmComm?

- ▶ We live in a digital world.
  - ▶ Cell phones and apps, tablets, web apps
  - ▶ PDFs, Excel Files, Word docs
  - ▶ E-mail, text messaging
  - ▶ Video feeds
  - ▶ VOIP telephone
  - ▶ WEB Hosting – reference data on MESH
- ▶ High speed data is the norm; not the exception.
- ▶ To be relevant EmComm must provide more than voice and slow speed data to our served agencies.
- ▶ Our role as communicators is to get the message (data) through in the most efficient method available to us.

# MESH GEAR

- ▶ Ubiquiti NanoStation M2 AirMax 2.4GHz CPE 150+ Mbps real outdoor throughput and up to 15km+ range. **\$80-\$100**




# MESH GEAR

- Ubiquiti BulletM2-HP BM2HP 802.11n airMAX Integrated Radio 2.4GHz + (AU24G6-NF) 6dBi WiFi **Omni** Antenna. **\$100**





# AirMax Sector Antennas Plus Rocket





# MESH GEAR

- Ubiquiti AIRROUTER-HP airRouter AR-HP IEEE 802.11n Ethernet Wireless Router - 2.40 GHz ISM Band - 1 x Antenna (1 x External) - 656.2 ft Indoor Range - 150 Mbps Wireless Speed - 4 x Network Port - 1 x Broadband Port - USB - Fast Ethernet - No Desktop **\$70**



# Mikrotik hAP router

Similar to Air3 – plus  
dual radio for MESH and WiFi access  
VPN tunnels  
USB Port  
expanded memory  
less expensive

\$40



# airGateway

- ▶ Provides for wifi access to your mesh network.
- ▶ Attaches to POE adapter.
- ▶ No Ethernet cable required between transceiver and computer.




# MODIFICATION OF THE MESH GEAR

- ▶ All equipment must be modified to work in the 13 cm ham band.
  - ▶ 2397 mhz (2.300 GHz – 2.450 GHz)
  - ▶ Flashing of EPROM using FTP
- ▶ Requires some computer and networking skills.

# MCAR Eagleville EOC MESH SYSTEM

- ▶ Three directional nodes covering 120 degrees each
- ▶ One on each side of the 100 ft. tower.
- ▶ QTR1 2019 completion
- ▶ Expand throughout the county








# Current and Proposed Locations

NAME	CALL	LATITUDE	LATITUDE	LONG	LONG	ELEV.	ELEV.
MONTCO E.O.C.	AA3E	40-09-29.38	40.158161	75-25-05.91	-75.418308	477 FT ASL	145.39 M
Dick Stewart	K3ITH	40-08-21.15	40.139208	75-26-22.78	-75.439661	243 FT ASL	74.07 M
Tom Nolan	W3EX	40-14-39.63	40.244342	75-22-11.68	-75.369911	252 FT ASL	76.81 M
Rocky Pistilli	N3FKR	40-07-08.83	40.119119	75-10-36.23	-75.176731	269 FT ASL	81.99 M
Guy Gibbs	WA3JZN	40-14-34.47	40.242908	75-15-17.69	-75.254914	422 FT ASL	128.63 M
Ron Cohen	K3ZKO	40-12-06.17	40.201713	75-25-34.88	-75.426375	270 FT ASL	82.30 M
Lou Ruh	WX3I	40-09-28.89	40.158025	75-23-53.58	-75.398217	465 FT ASL	141.73 M
Jim Fisher	AJ3DI	40-07-50.91	40.130808	75-08-02.98	-75.134161	263 FT ASL	80.16 M
Jim Linden	N3IIG	40-16-28.24	40.274514	75-21-48.25	-75.363403	326 FT ASL	99.37 M
Marcus Barboni	K3MEB	40-09-38.51	40.160697	75-20-42.94	-75.345261	279 FT ASL	85.04 M
Tom Riethof	W3CQC	40-17-21.77	40.289381	75-22-11.29	-75.369803	333 FT ASL	101.50 M
Griff Griffiths	NE3I	40-12-42.98	40.211939	75-26-02.37	-75.433992	232 FT ASL	70.71 M
Joe Frounjian	W3OYJ	40-12-07.06	40.201960	75-16-41.36	-75.278156	326 FT ASL	99.65 M
Al Mc Crae	KA3ODI	40-25-22.07	40.422796	75-20-38.74	-75.344094	514 FT ASL	156.67 M
Mike Davis	KB1JEY	40-10-09.33	40.169261	75-12-55.10	-75.215379	308 FT ASL	93.88 M
Nate Rosenthal	N2ADD	40-15-17.14	40.254762	75-38-43.13	-75.645313	184 FT ASL	56.08 M
Chuck Farrell	W3AFV	40-04-45.00	40.080855	75-23-21.00	-75.388926	194 FT ASL	59.13 M
Fancy Hill	-----	40-19-33.20	40.325889	75-42-14.83	-75.704122	1,080 FT ASL	392.18 M
Salford Mtg Hse	-----	40-16-33.00	40.275870	75-24-07.00	-75.402071	356 FT ASL	108.51 M
Abington Hosp.	-----	40-07-10.00	40.119518	75-07-15.00	-75.120880	351 FT ASL	106.99 M
U.S. ARMY WORCESTER	-----	40-10-42.32	40.178422	75-20-12.53	-75.336815	454 FT ASL	138.38 M
BACTON HILL	K3DSM	40-03-38.20	40.060611	75-35-34.35	-75.592875	717 FT ASL	218.54 M
PARA WORCESTER	-----	40-10-24.01	40.173337	75-20-33.76	-75.342710	436 FT ASL	132.89 M
WEST CHESTER EOC	W3EOC	39-57-37.34	39.960372	75-35-04.18	-75.584495	471 FT ASL	143.56 M
PARA VLY FORGE	W3PHL	40-05-03.95	40.084439	75-29-39.20	-75.494221	595 FT ASL	181.36 M
WILLOW GROVE N.A.S.	-----	40-12-39.98	40.210272	75-08-45.90	-75.140608	290 FT ASL	88.39 M
Robert Antal	KC3HRV	40-17-39.09	40.294192	75-34-48.88	-75.580244	282 FT ASL	85.95 M
Paul Antal	KC3HSQ	40-14-16.11	40.237808	75-18-13.50	-75.303750	322 FT ASL	98.15 M
Joseph Caltabiano	AA3JC	40-15-41.61	40.261558	75-16-13.87	-75.270519	313 FT ASL	95.02 M
Dan Mitten	WA3NFV	40-19-01.74	40.317150	75-17-18.81	-75.288558	584 FT ASL	178.00 M
Richard Freeman	N3FV	40-18-33.94	40.309428	75-18-41.06	-75.311406	502 FT ASL	153.01 M
Alan Gray	W3BV	40-26-02.50	40.434028	75-13-50.77	-75.230769	525 FT ASL	160.02 M
W3EX-AUX	EX-AUX	40-16-06.93	40.268592	75-20-25.92	-75.340533	325 FT ASL	99.06 M
Harleysville Fire House	H-F-H	40-16-38.10	40.277250	75-22-49.62	-75.380450	300 FT ASL	91.44 M
North Penn Water Tower	W-T	40-15-53.69	40.264914	75-24-04.68	-75.401300	384 FT ASL	117.04 M

# MONTCO ARES/RACES






# Typical Installations






# Typical Installations







# Hagey Transportation Services





# Future Installation Lower Salford Township Rt 113 and old Morris Rd.



# User Interface

## All Browser Based



### W3EX-AIR3 mesh status

Stop

Quit

#### Local Hosts

W3EX-AIR3.local.mesh

- GXP1620.local.mesh
- RASPBX.local.mesh
- IPCAM.local.mesh
- HP4100n.local.mesh
- POWERSPEC-SSD.local.mesh
- raspberrypi3.local.mesh

#### Services

GXP1620-10.68.71.85  
[IPCAM-10.68.71.82](#)  
[IPCAMStream-10.68.71.82](#)  
[HP4100n](#)  
[TEAMSPEAK-10.68.71.90](#)  
[Teamspeak2](#)

#### Remote Nodes

[N3IIG-BT-2-Dir.local.mesh](#) 2.00  
[AJ3DI-XW-Nano.local.mesh](#) 2.00  
[N3IIG-M2-1.local.mesh](#) 2.06  
[N3RSG-Nano-M2-Tower1.local.mesh](#) 2.33  
[N3RSG-Nano-M2-Tower2.local.mesh](#) 3.33  
[W3CQC-NanoM2-1.local.mesh](#) 3.62  
[N3FV-SOUDERTON-SOUTH.local.mesh](#) 5.37

#### ETX Services

Alabama

#### Current Neighbors

[AJ3DI.local.mesh](#)

- GXP1450.local.mesh
- jedijf-Aspire-one.local.mesh
- GXP1450.local.mesh
- jedijf-Aspire-one.local.mesh
- K3ITH-NanoM2-1.local.mesh
- N3IIG-AR1.local.mesh

LQ NLQ TxMbps Services

100% 100%  
[VOIP-10.68.43.35](#)  
[drats](#)  
100% 100%  
[VOIP-10.68.43.35](#)  
[drats](#)  
100% 100%  
[VOIP 10.34.246.29](#)  
[VOIP 10.34.246.30](#)

- AvayaVOIP.local.mesh
- 2110VOIP.local.mesh
- W3EX-BulletM2-Dish.local.mesh
- W3EX-NanoM2-1.local.mesh
- W3EX-NanoM2-2.local.mesh
- W3IPO-NANO-M2.local.mesh

100% 100% 0.0  
100% 100% 0.0  
94% 94% 18.1  
100% 100%

- Phone1105.local.mesh
- Netgear.local.mesh

[Phone1105](#)

#### Previous Neighbors

NE3I-M2-1

#### When

8.5 hours ago

# MESH NETWORK SERVICES


- ▶ EMAIL
- ▶ Text Messaging
- ▶ High Speed Data Transfer
- ▶ Video Camera Capability
- ▶ VOIP telephony
- ▶ Printer
- ▶ WEB hosting
- ▶ Remote rig control
- ▶ Links To Other Counties

# • CURRENT SERVICES RUNNING

- ▶ D-rats
  - ▶ Messaging
  - ▶ Email
  - ▶ File transfer
- ▶ Teamspeak – raspberry PI
  - ▶ Peer to peer VOIP
- ▶ FreePBX – raspberry PI
  - ▶ Fully functional VOIP phone system with extension number, phonebook, music on hold, voicemail etc.
- ▶ Laser Printer
- ▶ Live Video – any IP camera



# Services Hardware



IP Camera

Air Router  
W3EX-AIR3

Ethernet Switch

# SOURCES OF MESH TECH INFO

- ▶ <https://www.arednmesh.org/>
- ▶ [BROADBAND – HAMNET](#)
- ▶ <https://www.youtube.com/watch?v=hUeW2ju-RZk>
- ▶ <http://www.hotarc.org/mesh/>
- ▶ Join our groups.io reflector



# Thanks to:

- ▶ Amateur Radio Emergency Network (AREDN)
- ▶ Jim Fisher AJ3DI from PDRA
- ▶ Jim Linden N3IIG
- ▶ Ron Cohen K3ZKO
- ▶ Rocky Pistilli N3FKR
- ▶ Tom Riethof W3CQC
- ▶ Marten Beels K3HUW
- ▶ Jesse Hagey N3RSG
- ▶ Rich Freeman N3FV
- ▶ Dick Stewart K3ITH
- ▶ Montgomery County \$\$\$



NODES UP!

# Live Demo

- ▶ Computer
  - ▶ CONNECT TO
  - ▶ BROWSE TO LOCALNODE:8080
- ▶ Smart Phone
  - ▶ AIRPLANE MODE
  - ▶ WIFI ON
  - ▶ CONNECT TO
  - ▶ BROWSE TO LOCALNODE:8080